

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.55

NATIVE AMERICAN

Ferns and Wild Flowers

1940



Epigaea repens

ISAAC LANGLEY WILLIAMS


Exeter Wild Flower Gardens

EXETER, NEW HAMPSHIRE

INTRODUCTION

HERE at Exeter we have the largest shade houses devoted exclusively to the growing of Wild Flowers and Ferns in this country. We have over 300 species of selected Wild Flowers and Ferns growing under conditions favorable to the development of plants which can be transplanted to your garden successfully. The requirements of each species have been studied over a period of years, and those conditions necessary for producing specimen plants are carefully complied with.

The Exeter Wild Flower Gardens are located on the Newmarket Road, 1½ miles from Exeter. To reach us, drive through the Swasey Memorial Parkway, and go straight ahead on the Newmarket Road. After you pass under a railroad bridge, a Dutch Colonial brick house may be seen at the top of a hill. Look for the sign at the entrance. Visitors are always welcome.



*Polystichum
acrostichoides
Frond.*

Christmas Fern.
See page 5.

HOW TO ORDER WILD FLOWERS

SHIPPING INSTRUCTIONS. Please state how you wish your order shipped. If no instructions are sent by a customer, we will use our best judgment, but will not be responsible for delay in transit.

PRICES. All prices are for plants f.o.b. Exeter, transportation charges to be paid by the purchaser. Six plants of one kind will be sold at the dozen rate, fifty plants at the hundred rate. If a single plant of one kind is desired, take one-third of the rate given for three and add 5 cents. Leaf-mold and Pine Needles cannot be shipped by Parcel Post.

DISCOUNT. All orders accompanied by full amount in cash, and received not later than March 15, 1940, are subject to a 10 per cent discount.

TERMS. All orders should be accompanied by full amount in cash, check, or money order.

CLAIMS. When the plants are received, examine carefully and, if damaged in transit, notify the transportation company at once, entering claim with them for the amount of the damage. We are not responsible for damage in transit, but if the plants are unsatisfactory through fault of ours, notify us at once, and we will either replace or refund your money. Any complaint regarding the quality of the plants must be made within 10 days of receipt of plants.

GUARANTEE. All plants are guaranteed true to name and free from disease. Each shipment will be accompanied by a Certificate of Inspection.

EXETER WILD FLOWER GARDENS

ISAAC LANGLEY WILLIAMS, Owner

EXETER - NEWHAMPSHIRE



Pteritis nodulosa (*Ostrich Fern*). See page 5

Hardy Native Ferns

The Ferns are one of our most useful groups of plants. They grow best in shady locations but some will thrive in full sun. The following Ferns are strong, clumpy plants and include the best varieties for general use.

ADIANTUM pedatum. American Maidenhair Fern. 2 ft. 3	12	100
Deciduous. Beautiful, feathery fronds on black stems.		
Shade.....	\$0 60	\$2 00 \$12 00
ASPLENIUM platyneuron. Ebony Spleenwort. 6 to 12 in.		
Evergreen. Grows among the shaded rocks.....	75	2 50 15 00
trichomanes. Maidenhair Spleenwort. 4 to 6 in. Evergreen.		
Daintiest of the Ferns. Grows in clefts in the rocks.....	75	2 50 15 00
ATHYRIUM filixfemina. Lady Fern. 2 to 3 ft. Deciduous.		
One of the easiest to grow in partial shade or full sun....	60	2 00 12 00
pycnocarpon. Narrowleaf Spleenwort. 2 to 3 ft. Decidu-		
ous. Rich green. Vigorous fronds. For the rich woods..	75	2 50 18 00
thelypteroides. Silvery Spleenwort. 2 to 3 ft. Deciduous.		
Similar to the Lady Fern but with a silvery sheen from the		
color of the spores. Partial shade.....	75	2 50 15 00
BOTRYCHIUM virginianum. Rattlesnake Fern. 1 to 2 ft.		
Deciduous. For open woods	75	2 50 15 00
CAMPTOSORUS rhizophyllus. Walking Fern. Evergreen.		
Fronds 4 to 10 inches high that taper at the end and root		
from these tips. Grows on limestone cliffs. Shade.....	75	2 50 15 00

COLLECTION A

*Ferns for a shady
rockery*

12 <i>Asplenium platyneuron</i> . Ebony Spleenwort	\$2 50
12 <i>Asplenium trichomanes</i> . Maidenhair Spleenwort	2 50
12 <i>Polypodium vulgare</i> . Common Polypody	2 00
36 Ferns	Worth . \$7 00

This Collection for \$6.00



Adiantum pedatum (American Maidenhair Fern). See page 3

HARDY NATIVE FERNS, continued

CYSTOPTERIS bulbifera. Berry Bladderfern. 1 to 2 ft. Deciduous. Slender, graceful species that prefers a moist bank or brookside. Shade.....	3	12	100
fragilis. Fragile Bladderfern. 1 ft. Deciduous. Graceful, small Fern that grows in rich soil on banks and hillsides..	\$0 75	\$2 50	\$15 00
	75	2 50	15 00
DENNSTÆDTIA punctilobula. Hayscented Fern. 2 ft. Deciduous. Graceful fronds that form a dense mat as this species spreads from the roots. Sun or shade.			
Strong clumps.....	60	2 00	12 00
Square-foot sods.....	1 50	4 00	30 00
DRYOPTERIS clintoniana. Clinton Wood Fern. 2 to 3 ft. Evergreen. A large species suitable for moist woods....	75	2 50	12 00
cristata. Crested Wood Fern. 1 to 2 ft. Evergreen. A smaller edition of the above that grows on the hummocks in grassy bogs.....	60	2 00	12 00
dilatata. Mountain Wood Fern. 2 ft. Evergreen. Found on high mountain peaks. Shade.....	90	3 00	20 00
filix-mas. Male Fern. 2 to 3 ft. A rare species that grows among rocks. Almost evergreen. Shade.....	1 50	5 00	
goldiana. Goldie Fern. 3 to 4 ft. The largest of the Wood Ferns. It grows in rich, moist woods. Deciduous	1 00	3 50	25 00
hexagonoptera. Winged Wood Fern. 1 ft. Deciduous. Fronds are nearly as broad as tall. Shade.....	1 00	3 00	
linnæana. Oak Fern. 4 to 6 in. Deciduous. A tiny, graceful species with triangular fronds and black stems. Shade.	60	2 00	12 00
marginalis. Leather Wood Fern. 2 to 3 ft. Evergreen. Dark green. One of the best Wood Ferns. Grows in rocky woods.	60	2 00	12 00
noveboracensis. New York Fern. 1 to 2 ft. Deciduous. Makes a good ground-cover in shade.....	60	2 00	12 00
phegopteris. Narrow Beech Fern. 6 to 12 in. Deciduous. Will spread to cover a brookside bank.....	60	2 00	12 00
spinulosa. Toothed Wood Fern. 2 to 3 ft. Evergreen. Graceful fronds much used by florists. Shade.....	60	2 00	12 00
thelypteris. Marsh Fern. 8 to 12 in. Grows in marshes in either sun or shade. Deciduous.....	60	2 00	12 00
LYGODIUM palmatum. Hartford or Climbing Fern. 3 to 4 ft. Deciduous. A rare climbing species. Acid soil.....	1 50	5 00	
ONOCLEA sensibilis. Sensitive Fern. 1 to 2 ft. Deciduous. Grows to more than 2 feet in bogs. Sun or shade	60	2 00	12 00
OPHIOGLOSSUM vulgatum. Adderstongue. 6 in. A small Fern that grows in the open in damp meadows.....	75	2 50	18 00

HARDY NATIVE FERNS, continued

OSMUNDA cinnamomea. Cinnamon Fern. 3 to 4 ft. Deciduous. Grows luxuriantly along our roadsides and in damp woods.....	3	12	100
claytoniana. Interrupted Fern. 3 to 4 ft. Deciduous. Does well in either sun or shade.....	\$0 75	\$2 50	\$15 00
regalis. Royal Fern. 3 ft. Deciduous. One of our most beautiful Ferns that grows well in either sun or shade....	75	2 50	15 00
PELLÆA atropurpurea. Purple Cliff Brake. 6 to 12 in. A native of sunny clefts in limestone ledges. Dark purple stems with bluish green fronds. Rare.....	75	2 50	15 00
PELLÆA atropurpurea. Purple Cliff Brake. 6 to 12 in. A native of sunny clefts in limestone ledges. Dark purple stems with bluish green fronds. Rare.....	1 50	5 00	
POLYPODIUM vulgare. Common Polypody. 6 in. Evergreen. Grows in mats on rocks in shade or partial shade	60	2 00	12 00
POLYSTICHUM acrostichoides. Christmas Fern. 1 to 2 ft. Evergreen. Grows well in any fairly rich woods.....	60	2 00	12 00
brauni. Braun Hollyfern. 2 ft. A native of the deep, rich rocky woods. Rare.....	1 20	4 00	30 00
PTERETIS nodulosa. Ostrich Fern. 4 to 6 ft. Grows along banks of streams and wet runs. Sun or shade. Deciduous.	75	2 50	15 00
PTERIDIUM aquilinum. Bracken. 2 to 3 ft. Grows in full sun in dry, sandy soil. Deciduous.....	60	2 00	12 00
WOODSIA ilvensis. Rusty Woodsia. 6 in. Grows in crevices on ledges in full sun or partial shade. Deciduous.....	60	2 00	12 00
obtusa. Common Woodsia. 8 to 12 in. Suitable for shaded rocks. Deciduous.....	60	2 00	12 00
WOODWARDIA areolata. Chain Fern. 1 to 2 ft. For moist soil. Spores resemble chain-links. Deciduous.....	60	2 00	15 00
virginica. Virginia Chain Fern. 2 to 3 ft. Grows in swamps and bogs around shores of ponds. Deciduous.....	60	2 00	12 00

COLLECTION B. Ferns for a shady place

18 Adiantum pedatum. American Maidenhair Fern	\$3 00
12 Athyrium filixfemina. Lady Fern	2 00
12 Dryopteris marginalis. Leather Wood Fern	2 00
12 Dryopteris spinulosa. Toothed Wood Fern	2 00
12 Osmunda cinnamomea. Cinnamon Fern	2 50
12 Osmunda claytoniana. Interrupted Fern	2 50
18 Polystichum acrostichoides. Christmas Fern	3 00
96 Ferns	Worth . . . \$17 00

This Collection for \$15.00 or half the Collection for \$8.00

Trilliums seem to belong with ferns in shady nooks because they call our attention to the magic beauty of the unfolding fern fronds. We are made conscious of the many curiously formed patterns which our wood ferns assume as they reach up for their share of the subdued lights in shady places.





Cypripedium spectabile (Showy Ladyslipper)



Cypripedium acaule (Pink Moccasin Flower)

Hardy Native Orchids

CALOPOGON pulchellus. Grass-Pink Orchid. 1 ft. Deep	3	12	100
pink Orchid that grows in bogs and wet places. June...	\$0 75	\$2 50	\$15 00
CALYPSO bulbosa. 3 to 6 in. Variegated pink, purple, and yellow. Acid soil. May, June. Moist shade. Excellent for the moist, shady rock-garden.	1 00	3 00	
CYPRIPEDIUM acaule. Pink Moccasin Flower. 1 ft. This large-flowered Ladyslipper grows best in pine woods but grows well in hard woods if the soil is acid. May, June..	75	2 50	15 00
acaule alba. White Moccasin Flower. 1 ft. The rare snow-white <i>Cypripedium acaule</i> . Requires acid soil. \$1.00 each..	3 00	10 00	
arietinum. Ramshead Ladyslipper. 6 in. A beautiful rare pink and white Ladyslipper. May	\$1.00 each.. 3 00	10 00	
candidum. White Ladyslipper. 6 to 12 in. Tiny white slippers. Grows in a neutral to alkaline soil and needs constant moisture and open shade. May	\$1.00 each.. 3 00	10 00	
montanum. Mountain Ladyslipper. 1 to 2 ft. White sacs, brownish sepals. June. Shade. Large, fragrant blossoms with odor of vanilla75c. each.. 2 00	7 00	
pubescens. Yellow Ladyslipper. 1 to 2 ft. Pure yellow blossoms sometimes with purple lines. May, June. Shade.	90	3 00	20 00
spectabile. Showy Ladyslipper. 1 to 3 ft. The largest and most showy of our native Orchids. Pink and white flowers in June. Requires moist shade	90	3 00	20 00

COLLECTION C. Native Ladyslippers

6 <i>Cypripedium acaule</i> . Pink Moccasin Flower	\$1 25
6 <i>Cypripedium pubescens</i> . Yellow Ladyslipper	1 50
6 <i>Cypripedium spectabile</i> . Showy Ladyslipper	1 50
18 Ladyslippers	Worth . . . \$4 25

This Collection for \$3.50

HARDY NATIVE ORCHIDS, continued

GOODYERA pubescens. Rattlesnake Plantain. White blossoms on 1-foot spikes. The white-veined, nearly prostrate leaves make this plant very desirable. Blooms in August in the pine woods.	3	12	100
	\$0 75	\$2 50	\$15 00
HABENARIA blephariglottis. White Fringe-Orchid. Fragrant white fringed blossoms on 2-foot stalks in early August in wet bogs.	1 50	5 00	
ciliaris. Yellow Fringe-Orchid. Orange-yellow blossoms in August on 1 to 2-foot stems in wet meadows.	1 00	3 50	25 00
dilatata. White Bog-Orchid. 2 ft. A beautiful white Orchid that blossoms in June.	1 50	5 00	
fimbriata. Large Purple Fringe-Orchid. 2 to 3 ft. Our largest Habenaria, growing to 5 feet under favorable conditions. Fragrant lavender-pink flowers. June-August.	1 00	3 50	25 00
hookeri. Hooker Orchid. 8 to 15 in. Flowers yellowish green. It has two large basal leaves of shining green. Blossoms in late June.	1 50	5 00	
lacera. Green Fringe-Orchid. 1 to 2 ft. Grows in the open, moist fields. It has greenish yellow flowers. July.	75	2 50	15 00
orbiculata. Large Round-leaved Orchid. 1 ft. This Habenaria has two enormous basal leaves 4 to 7 inches in diameter, shining above, silvery beneath. Flowers greenish white in July or August.	1 50	5 00	
psycodes. Small Purple Fringe-Orchid. 1 to 2 ft. Grows somewhat smaller than the Fimbriata and has paler blossoms. Grows in shady bogs. July, August.	1 00	3 50	25 00
LIPARIS liliifolia. Lily Twayblade. 6 to 8 in. A small Orchid of the swamps, with delicate orchid-colored blossoms in June and July.	1 00	3 00	
ORCHIS spectabilis. A 6-inch Showy Orchis, with white and lavender-pink, fragrant blossoms. Grows well in the rich, shady woods. June.	1 20	4 00	30 00
POGONIA ophioglossoides. Rose Pogonia. This 10-inch Orchid grows in sphagnum and cranberry bogs. Fragrant, pale rose-color flowers in June and July.	75	2 50	15 00
SPIRANTHES cernua. Nodding Ladies-tresses. Fall-blooming Orchid of our fields and meadows that has fragrant white flowers on 8-inch, twisted spikes. August, September.	1 00	3 00	20 00
gracilis. Slender Ladies-tresses. A more slender species that grows in dry fields and open woods.	1 00	3 00	

Hardy Native Aquatic and Bog-Plants

ACORUS calamus. Sweetflag. 2 to 3 ft. Desirable for bog-gardens.	3	12	100
	\$0 60	\$2 00	\$12 00
ASCLEPIAS incarnata. Swamp Milkweed. 3 ft. Beautiful reddish flowers for the bog-garden or brookside. July.	75	2 50	15 00
CALLA palustris. Wild Calla. 6 in. This white Calla blossoms in May in our shady bogs.	60	2 00	12 00
CALTHA palustris. Marsh Marigold. 6 to 12 in. April.	60	2 00	12 00
CHELONE glabra. White Turtlehead. 2 to 3 ft. White, snap-dragon-like flowers in August in either sun or shade in moist bogs or along brooksides.	60	2 00	12 00
DIONÆA muscipula. Venus Flytrap. A peculiar little plant that captures flies and other insects for a living.	1 00	3 50	



Caltha palustris (Marsh Marigold). See page 7



Asclepias tuberosa (Butterfly Weed). See page 12

HARDY NATIVE AQUATIC and BOG-PLANTS, continued

IRIS prismatica. Cubeseed Iris. 1 to 1½ ft. Blue flowers on grass-like foliage in damp meadows. June.....	3	12	100
	\$0 60	\$2 00	\$12 00
versicolor. Blueflag Iris. 1 to 2 ft. The native Blueflag needed in every bog or brookside garden. June.....	60	2 00	12 00
LYTHRUM salicaria. Purple Loosestrife. Grows 2 to 4 feet tall, with brilliant purple spikes of flowers, along our brooks and ponds. July.....	60	2 00	12 00
MIMULUS ringens. Monkeyflower. 1 to 2 ft. A bog-plant that has blue monkey-like flowers in July.....	60	2 00	15 00
NUPHAR advena. Spatterdock or Cowlily. Yellow Cowlily that grows in ponds and quiet coves.....	75	2 50	15 00
NYMPHÆA odorata. White Waterlily. Our best Waterlily. Its fragrance and beauty cannot be adequately described. All summer.....	75	2 50	15 00
PELTANDRA virginica. Virginia Arrow-arum. This sphagnum bog-plant has bright green leaves 4 to 12 inches long....	75	2 50	18 00
PONTEDERIA cordata. Pickerelweed. 2 to 3 ft. The blue flower-spikes appear in July. Plant grows in shallow water.	60	2 00	12 00
SAGITTARIA latifolia. Arrowhead. Grows in shallow water and has broad, arrow-shaped leaves. The white flowers appear in July on 2-foot stems.....	60	2 00	12 00
SARRACENIA flava. Trumpet Pitcherplant. 2 ft. This has elongated "pitchers." The flowers are yellow.....	75	2 50	18 00
purpurea. Pitcherplant. 1 to 1½ ft. The Red-flowered Pitcherplant of New England. "Pitchers" are filled with water which contains drowned insects. July.....	60	2 00	12 00
SPATHYEMA foetida. Skunk Cabbage. The leaves of this plant are 1 to 3 feet long and often 1 foot wide. Its peculiar flowers come in early spring before the leaves open.	60	2 00	15 00
THALICTRUM polygamum. Tall Meadowrue. 4 ft. Grows in either sun or shade and has graceful, showy white flowers in July and August.....	60	2 00	12 00
TYPHA angustifolia. Narrowleaf Cattail. 4 to 6 ft. A narrow-leaved form of the Cattail that grows in salt marshes, occurring rather rarely inland.....	75	2 50	15 00
latifolia. Common Cattail. 4 to 6 ft. An interesting and different bog-plant.....	60	2 00	12 00
VERATRUM viride. American False Hellebore. 2 to 4 ft. Its broad bright green leaves are practically the first to appear in the spring along our brooks and runs.....	60	2 00	12 00

Hardy Native Lilies and Bulbous Plants

ARISÆMA dracontium. Dragonroot. 2 to 3 ft. A peculiar form of Jack-in-the-Pulpit in that it has a long, tapering spadix.....	3	12	100
triphyllum. Jack-in-the-Pulpit. 1 to 3 ft. Jack readily makes himself at home in the wild garden in moist shade.	\$0 60	\$2 00	\$12 00
BRODIAEA coccinea. Floral Firecracker. 1 to 2 ft. April, May. Loose soil. Fiery red, tipped with yellow, green-yellow, and white. Exceptionally beautiful when combined with ferns. Will thrive in any soil with good drainage.....	50	1 50	
lactea. Cup-shaped. Milky white with green veins. Long lasting. One of the best.....	50	1 25	
CALOCHORTUS albus. Fairy Lantern. Pure white. April, May. Woodlands, either loose or heavy acid soil. Excellent for naturalizing.....	40	1 20	8 00
amabilis. Golden Globe Tulip. 15 in. Pure golden yellow. April, May. Drooping habit. Heavy or loose acid soil...	40	1 20	8 00
venustus citrinus. Lemon Mariposa Tulip. June. Deep rich yellow, black eye. Same culture as Amabilis.....	40	1 20	8 00
venustus, El Dorado. 1 to 2 ft. Wide range of color. White through lilac to purple; shades of pink through claret. June. An excellent variety. Porous, sandy soil.....	40	1 20	8 00
vesta. Full sun in heavy soil. The best of all varieties. White flushed with lilac or rosy purple; red at center; backs of petals purple.....	50	1 50	10 00
CAMASSIA esculenta. Wild Hyacinth. 2 ft. Pink. April, May. Rich open shade. Very showy in masses.....	60	2 00	12 00
CONVALLARIA majalis. Lily-of-the-Valley. 4 to 8 in. Fragrant white flowers in May. A good ground-cover for a shady place.....	60	2 00	12 00
DICENTRA canadensis. Squirrelcorn. 6 to 12 in. An excellent rock-garden plant with white, heart-shaped flowers. Graceful, deeply cut foliage. April, May. Shade.....	60	2 00	12 00
cucullaria. Dutchman's-Breeches. 6 to 12 in. Similar to the Squirrelcorn except that the flowers remind one of a Dutchman's breeches. April, May. Shade.....	60	2 00	12 00

COLLECTION D. Hardy Native Lilies

FALL ONLY

12 <i>Lilium canadense.</i> Canada Lily	\$2 50
12 <i>Lilium columbianum</i>	5 00
12 <i>Lilium philadelphicum.</i> Orangecup Lily	2 50
12 <i>Lilium superbum.</i> Turksap Lily	2 50
48 Lilies	Worth.....\$12 50

This Collection for \$10.00 or half the
Collection for \$5.50

*Lilium
philadelphicum*
See page 10





Mertensia virginica (Virginia Bluebells)



Trillium grandiflorum. See page 11

HARDY NATIVE LILIES and BULBOUS PLANTS, continued

Dicentra eximia. Fringed Bleedingheart. 1 to 2 ft. Graceful, fern-like foliage and pink flowers all summer. Needs partial shade.....	3	12	100
	\$0 75	\$2 50	\$15 00
oregana. The best of the dwarf Dicentras. It has silvery foliage and the flowers are creamy white with pink or reddish tips. Blossoms from May to July. Requires a well-drained position with leaf-mold soil.....	1	50	
ERYTHRONIUM. Dogtooth Violet. May. Partial shade.			
albidum. White Troutlily. 4 to 6 in. A fine white form of Erythronium.....	60	2 00	12 00
americanum. Yellow Troutlily. 4 to 6 in. The Common Adders-Tongue of New England, with spotted leaves....	60	2 00	12 00
grandiflorum robustum. Bright buttercup-yellow. Always attractive.....	50	1 50	10 00
hendersoni. 8 in. Large mottled brown leaves. Color lovely light purple, centers deep maroon. Very attractive.....	50	1 50	10 00
LILIUM canadense. Canada or Meadow Lily. 3 to 5 ft. Pale yellow to red blossoms in July in our meadows and along roadsides. Excellent for planting in shrubbery.....	75	2 50	15 00
canadense flavum. Yellow Canada Lily.....	90	3 00	20 00
canadense rubrum. Red Canada Lily.....	1 00	3 50	
carolinianum. Carolina Lily. 3 to 4 ft. An orange-red Lily native to dry woods. July.....	1 00	3 50	
columbianum. 2½ to 3 ft. Golden yellow, spotted maroon. Open sun. July.....	1 50	5 00	
grayi. Gray's Lily. 2 to 3 ft. Small red mountain Lily from the highest peaks of North Carolina. July.....	1 50	4 00	
pardalinum. Leopard Bog Lily. 5 to 7 ft. Bright orange to deep orange-scarlet. Easily grown in fairly wet soil with good drainage and partial shade.....	1 50	5 00	
philadelphicum. Orangecup Lily. 2 ft. The exquisite red Lily that grows in dry woodlands and among the sweet ferns and blueberries. Needs an acid soil. July.....	75	2 50	15 00
superbum. Turkcap Lily. 4 to 6 ft. Orange-scarlet to red; spotted inside. July. Our easiest-grown native Lily....	75	2 50	15 00
tigrinum. Old-fashioned Tiger Lily. Naturalized around old houses and deserted cellar-holes. July, August.....	60	2 00	12 00
MERTENSIA virginica. Virginia Bluebells. 1½ ft. Our fastest selling native plant. Its nodding blue bells bloom pink and turn to the clearest blue. May. Strong bulbs.....	60	2 00	12 00
	75	2 50	15 00
SANGUINARIA canadensis. Bloodroot. 6 in. Pure white flowers in April.....	60	2 00	12 00

HARDY NATIVE LILIES and BULBOUS PLANTS, continued

TRILLIUM cernuum. Nodding Trillium. 1 ft. A nodding	3	12	100
Trillium with white blossoms. May	\$0 75	\$2 50	\$15 00
erectum. Purple Trillium. 1 ft. One of the earliest Trilliums			
to blossom. May	60	2 00	12 00
grandiflorum. Snow Trillium 1 to 1½ ft. Large, snow-white			
flowers in early spring. Excellent for naturalizing under			
trees or in the garden. May	60	2 00	12 00
luteum. Yellow Trillium. 1 to 1½ ft. A rare Trillium that			
has large mottled leaves and yellow flowers in May in the			
shady border or woods	75	2 50	15 00
nivale. Dwarf Trillium. Clear white flowers on 4 to 6-inch			
stems. April	75	2 50	15 00
recurvatum. Prairie Trillium. 1 ft. Reddish brown flowers.			
Easily grown in shade. May	60	2 00	12 00
sessile californicum. 1 ft. Pure white. May. Very attractive.			
Highly fragrant, resembling the odor of lily-			
of-the-valley	75	2 50	15 00
stylosum. Rose Trillium. 12 to 15 in. Rosy pink flowers			
in May	60	2 00	12 00
undulatum. Painted Trillium. 1 to 1½ ft. A white Tril-			
lium with deep pink markings. May	60	2 00	12 00

COLLECTION E. *Native Trilliums*

12 Trillium erectum. Purple Trillium	\$2 00
12 Trillium grandiflorum. Snow Trillium	2 00
12 Trillium luteum. Yellow Trillium	2 50
12 Trillium stylosum. Rose Trillium	2 00
12 Trillium undulatum. Painted Trillium	2 00
60 Trilliums	Worth \$10 50

This Collection for \$9.00 or half the Collection for \$5.00

Hardy Native Wild Flowers and Ground-Cover Plants

ACONITUM uncinatum. Clambering Monkshood. 3 to 6 ft.	3	12	100
This plant, with its attractive blue flowers in July, is from			
the southern mountains. Rich soil in partial shade	\$0 75	\$2 50	\$15 00
ACTÆA alba. White Baneberry. 2 ft. Grows in rich soil in			
shade and has white blossoms followed by a cluster of			
waxy white berries on red stems	75	2 50	15 00
rubra. Red Baneberry. 2 ft. Flowers white, followed by a			
cluster of bright red berries. Shade	75	2 50	15 00
ANAPHALIS margaritacea. Pearly Everlasting. 1 to 2 ft.			
An excellent flower for drying	60	2 00	12 00
ANEMONE canadensis. Meadow Anemone. 1 to 2 ft. White			
blossoms from May to July	60	2 00	12 00
cylindrica. Thimbleweed. 2 to 3 ft. Creamy white blossoms			
followed by seeds in late summer that are a mass of			
cotton that lasts all winter. June	60	2 00	12 00
patens nuttalliana. American Pasque Flower. 6 to 16 in.			
Cut foliage with light bluish purple blossoms. Good rock-			
garden plant. Full sun. May, early June	75	2 50	15 00
quinquefolia. American Wood Anemone. 6 in. Pure white			
blossoms in May in moist shade	60	2 00	12 00
ANEMONELLA thalictroides. Rue Anemone. 6 in. Pure			
white blossoms in May. Fern-like foliage. Delights in a			
shady spot in the rock-garden	60	2 00	12 00



Claytonia virginica (*Spring Beauty*)
See page 13



Iris cristata (*Crested Iris*). See page 16

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

	3	12	100
AQUILEGIA cærulea. Rocky Mountain Columbine. Large blue and white flowers. June	\$1 00	\$3 50	
canadensis. American Columbine. 1 to 2 ft. Our best rock-plant with its profusion of red and yellow flowers in May. Grows in either sun or shade.	75	2 50	\$15 00
chrysantha. Yellow Columbine. 2 ft. Pure yellow. Blooms all summer. Sun.	75	2 50	15 00
ARALIA nudicaulis. Wild Sarsaparilla. 1 ft. Large blue berries in late summer, in shade.	60	2 00	12 00
racemosa. American Spikenard. 2 to 3 ft. Moist shade. Red berries.	90	3 00	
ARENARIA stricta. Sandwort. 5 to 10 in. White. Late summer. Excellent for the sunny rock-garden.	75	2 50	
ARUNCUS sylvester. Goat's-beard. 3 to 7 ft. Blossoms white in large branched clusters. June. Shade.	75	2 50	15 00
ASARUM canadense. Canada Wild Ginger. 3 to 6 in. A creeping plant with curious chocolate-brown blossoms hidden under the beautiful leaves. Good ground-cover plant with violet flowers. Ginger-flavored root.	60	2 00	12 00
virginicum. Heartleaf Wild Ginger. 3 to 6 in. Large, thick evergreen leaves. Shade.	75	2 50	18 00
ASCLEPIAS tuberosa. Butterfly Weed. 1 ft. Gorgeous orange flowers in dry soil. Full sun. July and August.	75	2 50	15 00
ASTER cordifolius. Heartleaved Aster. 1 to 3 ft. Lavender flowers in profusion in September and October. Frost-resistant.	60	2 00	12 00
ericoides. Heath Aster. 1 to 3 ft. Bears a profusion of snow-white flowers in September.	60	2 00	12 00
linariifolius. Savory-leaved Aster. 6 to 18 in. A tufted plant with violet flowers. Requires a sandy, acid soil ...	60	2 00	12 00
novæ-angliæ. New England Aster. 3 to 7 ft. Gorgeous royal purple blossoms from mid-August to late September	60	2 00	12 00
novi-belgi. New York Aster. 3 to 5 ft. Violet-blue flowers in profusion in September.	60	2 00	12 00
umbellatus. Flat-top Aster. 5 to 7 ft. Large showy white flowers. Good for naturalizing in moist shade.	60	2 00	12 00
undulatus. Wave Aster. 2 ft. Violet-blue flowers in September.	60	2 00	12 00
BAPTISIA australis. Blue False Indigo. 4 to 6 ft. Indigo-blue. July, August. Worthy of a place in any garden ...	75	2 50	15 00
bracteata. Cream Wild-indigo. Tall 1-foot racemes of pure white. Prefers open, dry slopes. June.	75	2 50	15 00

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

Baptisia leucantha. White Wild-indigo. 1 to 1½ ft. Full sun, in June.....	3	12	100
tinctoria. Yellow Wild-indigo. 2 to 3 ft. Yellow flowers in late summer.....	\$0 75	\$2 50	\$15 00
CALLIRHOE triangulata. Poppy-Mallow. 1½ to 2½ ft. Deep purple. Dry soil. August, September.....	75	2 50	15 00
CAMPANULA rotundifolia. Bluebells of Scotland. 6 to 12 in. A pretty little plant especially suited for crevices in the rock-garden. Deep violet-blue flowers throughout the summer.....	75	2 50	15 00
CASSIA marilandica. Wild Senna. 3 to 4 ft. Large, yellow, bell-shaped flowers in late summer.....	90	3 00	20 00
CAULOPHYLLUM thalictroides. Blue Cohosh. 2 ft. New shoots are royal purple. Flowers greenish yellow, followed by blue berries that last all fall. Shade.....	75	2 50	15 00
CHELONE glabra. White Turtlehead. 2 to 3 ft. White, snap-dragon-like flowers in August in either sun or shade in moist bogs or along brooksides.....	60	2 00	12 00
lyoni. Pink Turtlehead. 2 to 3 ft. A rose-pink form of the Turtlehead that does well in the perennial border. Fine for cutting. August and September.....	60	2 00	12 00
CHIMAPHILA maculata. Spotted Pipsissewa. 6 in. Waxy green leaves spotted with white. Flowers white. July ...	75	2 50	15 00
umbellata. Common Pipsissewa. 6 in. Waxy green leaves. White flowers. Fine for shade. July.....	1 00	3 00	
CHIOGENES hispidula. Creeping Snowberry. A beautiful creeping evergreen vine with waxy white berries. Requires acid soil and thrives in moist shade on rotten logs or stumps. Potted plants.....	60	2 00	12 00
CIMICIFUGA americana. American Bugbane. 2 to 3 ft. In moist shade.....	90	3 00	20 00
racemosa. Cohosh Bugbane. 3 to 5 ft. Tall white spikes in August in moist, partial shade.....	60	2 00	12 00
CLAYTONIA virginica. Spring Beauty. 4 to 6 in. The delicate white flowers, striped with pink, come in earliest spring. Partial shade.....	75	2 50	15 00
CLINTONIA borealis. Bluebead. 8 in. Glossy green, prostrate leaves and yellow, lily-like flowers followed by bright blue berries in late summer. Moist shade.....	60	2 00	12 00
COPTIS trifolia. Goldthread. 2 to 3 in. A good ground-cover in shade. Almost evergreen leaves with white blossoms in May.....	60	2 00	12 00

Cornus canadensis (Bunchberry). See page 14



Dodecatheon meadia (*Shooting Star*)

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

CORNUS canadensis. Bunchberry. 6 in. An excellent ground-cover for acid shade. White flowers, like flowering dog-wood, and bright red berries. May and June	3	12	100
	\$0 75	\$2 50	\$15 00
CORYDALIS glauca. Pale Corydalis. 2 ft. Pink, heart-shaped blossoms. Sun or shade. Biennial. Seeds freely..	75	2 50	15 00
DALIBARDA repens. Dalibarda. 2 to 3 in. White. Creeping evergreen ground-cover. Shade. July	75	2 50	15 00
DELPHINIUM tricornes. Rock Larkspur. 1 ft. Dark blue. Open sun. June	75	2 50	15 00
DENTARIA diphylla. Crinkleroot. 6 to 9 in. White. April, May. Rich shade. Clusters of white blossoms with cut foliage	60	2 00	12 00
laciniata. Cut-leaved Toothwort. 6 to 9 in. A cut-leaved form of the above	60	2 00	12 00
DESMODIUM canadense. Canada Tick-Trefoil. 2 to 6 ft. Purple flowers. Sandy loam. Sun or partial shade	75	2 50	15 00
DODECATHEON meadia. Shooting Star. Delightful white to pink blossoms on 1 to 2-foot stems. Sun or open woods.	75	2 50	15 00
DROSER A rotundifolia. Roundleaf Sundew. 4 in. White. July, August. Low-growing, red hairy foliage that sparkles in the open sun. Open sun in wet soil or wet sand.	75	2 50	15 00
ECHINACEA purpurea. Purple Coneflower. 2 ft. July. Open sun in common garden soil	75	2 50	15 00
EPIGÆA repens. Trailing Arbutus. The well-known May-flower with its delightful fragrance. It should be planted in acid soil. The soil under pine trees is ideal and the plants should be shaded with pine needles when planted. We have several thousand growing in our shade beds. Plants are shipped B.&B. 75 cts. each ..	1 50	5 00	35 00
EPILOBIUM angustifolium. Fireweed or Blooming Sally. 3 to 4 ft. Pink-purple. Sun. July	60	2 00	12 00

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

EUPATORIUM coelestinum. Mistflower. 2 ft. Blue. Open woods. August.	3	12	100
perfoliatum. Boneset. 2 to 3 ft. White. Bogs.	\$0 75	\$2 50	\$15 00
purpureum. Joe-pye-weed. 4 to 6 ft. Rosy purple. Bogs.	60	2 00	12 00
urticaefolium. Snow Thoroughwort. 2 to 3 ft. Broad flower-heads of pure white in August and September in open, moist woods.	60	2 00	12 00
EUPHORBIA corollata. Flowering Spurge. 2 ft. White. July–September. Rich sandy soil. Very attractive. Open sun.	75	2 50	15 00
FILIPENDULA rubra. Queen of the Prairie. Pink Spirea. 3 to 6 ft. Peach-pink. June, July. Open sun in common garden soil.	75	2 50	15 00
GALAX aphylla. Galax. 1 ft. This plant prefers acid shade and has a 6-inch spike of white flowers in June. Evergreen leaves.	75	2 50	15 00
GAULTHERIA procumbens. Wintergreen. 2 to 6 in. An evergreen ground-cover with aromatic leaves. Bright red berries all winter. It grows in sun or partial shade and requires an acid soil.	60	2 00	12 00
GENTIANA andrewsi. Closed Gentian. 1 to 1½ ft. The purple-blue flowers come in September. Easily grown in moist sun or shade.	60	2 00	12 00
linearis. Narrowleaf Gentian. 1½ ft. A porcelain-blue Blind Gentian that blossoms in August.	60	2 00	12 00
GERANIUM maculatum. Wild Geranium. 1 ft. A native of the woods and fields. Rose-purple blossoms in May and June.	60	2 00	12 00
robertianum. Herb Robert. 1 ft. Native of the rocky woods, with a more intense pink blossom.	60	2 00	12 00
GEUM rivale. Purple or Water Avens. 9 to 12 in. Purple. May–July. Open sun in damp locations. A very interesting plant because of its peculiar markings and blossoms.	60	2 00	12 00
HELENIUM autumnale. Sneezeweed. 3 to 5 ft. August–October. Large clusters of brown, orange, and yellow flowers with brown discs. Requires moisture and open sun. Exceptionally good for autumn gardens.	75	2 50	15 00
HELIANTHUS giganteus. Tall Sunflower. 4 to 6 ft. Yellow. September, October. Full sun. Good for autumn border.	60	2 00	12 00
HEPATICA acutiloba. Sharplobe Hepatica. 8 in. White to purple blossoms in April Evergreen. Requires some shade.	75	2 50	15 00
triloba. Roundlobe Hepatica. 8 in. An acid-soil Hepatica with white to blue flowers.	75	2 50	15 00

Hepatica triloba (Roundlobe Hepatica)



Phlox ovata. See page 19

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

HEUCHERA americana. American Alum-root. 1 to 2 ft.	3	12	100
Large, beautifully mottled leaves and lacy greenish white flowers in late June	\$0 75	\$2 50	\$15 00
HOUSTONIA cœrulea. Bluets. 3 to 4 in. Dainty cushion-like plant with pale blue to white blossoms in the open sun or partial shade in April.	60	2 00	12 00
cœrulea faxonorum. Alpine variety of Cœrulea. Pure white with prominent yellow eye. Very good for the rock-garden. Either sun or shade. May. Potted plants. 30 cts. each ..	90		
serpyllifolia. Creeping Bluets. 3 to 6 in. Blue flowers. A fine rock-garden plant	75	2 50	15 00
HYDRASTIS canadensis. Goldenseal. 1 to 1½ ft. A fine medicinal herb	75	2 50	15 00
HYDROPHYLLUM virginianum. Waterleaf. 1 to 3 ft. White to violet shading to deep purple. Shade. Very good for the woodland path. May–August.	60	2 00	12 00
HYPOXIS hirsuta. Yellow Stargrass. 4 to 6 in. Yellow. Open sun, or partial shade. Dry soil. An interesting plant.	60	2 00	12 00
INULA helenium. Elecampane. 2 ft. Sunflower-like blossoms in midsummer in moist shade.	75	2 50	15 00
IRIS cristata. Crested Iris. 4 in. A fine rock-garden plant in either sun or shade. Sky-blue flowers. May.	75	2 50	15 00
lacustris. Dwarf Lake Iris. 3 to 4 in. A dwarf Iris from the gravelly shores of Lake Huron. Lilac-blue flowers in May. Moist soil in shade. Rare.	\$1.00 each.. 3 00		
verna. Vernal Iris. Blue flowers on 4-inch stems in dry woods or the rock-garden. May.	75	2 50	15 00
ISOPYRUM biternatum. False Rue Anemone. White. Moist, shady places. Excellent for the woodland path. April, May.	60	2 00	12 00
JEFFERSONIA diphylla. Twinleaf. White flowers on 6 to 8-inch stems. Shade. April, May.	75	2 50	15 00
LATHYRUS maritimus. Beach Pea. Purple blossoms on 1 to 2-foot vines. Sandy soil. Sun. June.	60	2 00	12 00
LESPEDEZA capitata. Roundhead Bushclover. Yellowish white blossoms on 2 to 5-foot stems. Dry, gravelly soil. Sun. July.	60	2 00	12 00

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

LEWISIA rediviva. Bitterroot. A dense rosette of leaves through which arise many stems, each bearing a single white to pink flower 1½ inches across. Most effective in little raised pockets in the rock-garden. May.....	3	12	100
twedyi. 3 to 5 in. An interesting plant resembling a broad-leaved cactus with soft salmon-pink blossoms. A full-grown plant has as many as 300 blossoms at one time. Unexcelled as a rock-garden plant. Sun. April, May....	\$0 90	\$3 00	
LIATRIS pycnostachya. Cattail Gayfeather. 3 ft. Deep pink blossoms in August. Sun.....	60	2 00	\$12 00
scariosa. Button Gayfeather. 2 ft. Pink blossoms in August. Sun.....	60	2 00	12 00
scariosa alba. White Button Gayfeather. 3 to 4 ft. This new white form of the Gayfeather is a welcome addition to the late summer garden and is an ideal cut-flower. A striking accent plant, it sends forth sturdy spikes of white, fluffy flowers closely set on the stem. August and September.....	1 50	5 00	
spicata. Spike Gayfeather. 3 to 5 ft. Deep rose blossoms in August.....	60	2 00	12 00
LINARIA vulgaris. Common Toadflax. 1 ft. Yellow blossoms in July and August. Light, sandy soil.....	60	2 00	12 00

COLLECTION F. Ground-cover plants for shade

12 <i>Asarum canadense.</i> Canada Wild Ginger	\$2 00
12 <i>Coptis trifolia.</i> Goldthread	2 00
12 <i>Dalibarda repens.</i> Dalibarda	2 50
12 <i>Gaultheria procumbens.</i> Wintergreen	2 00
12 <i>Maianthemum canadense.</i> False Lily-of-the-Valley	2 00
12 <i>Mitchella repens.</i> Partridgeberry	2 00
12 <i>Tiarella cordifolia.</i> Foamflower	2 00
84 Plants	Worth \$14 50

This Collection for \$12.00, or half the Collection for \$6.50

Leaf-Mold Peat

Most of the Wild Flowers and Ferns grow naturally in a soil composed largely of Leaf-Mold. We are offering finely ground, screened Leaf-Mold in 2-bushel bags. Weight 100 lbs. The Leaf-Mold should be mixed with the soil to the depth of several inches. It retains moisture, and also greatly benefits the condition of the soil. 2-bus. bag \$2.50. By express or freight only.

PINE NEEDLES. These are very useful for a mulch around acid-loving plants, such as Trailing Arbutus and Cypripedium acaule. Pine Needles may also be mixed to a depth of several inches in the soil where one is going to plant any of the acid-loving plants, particularly the Cypripedium acaule. These Pine Needles will be partially decomposed, and are ideal for the purpose intended. Price per 2-bus. bag, \$1.00; 10 bags \$5.00. By express or freight only.



Lewisia rediviva (Bitterroot)



Arisaema triphyllum (*Jack-in-the-Pulpit*)
See page 9



Lobelia cardinalis (*Cardinal Flower*)

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

LINNÆA americana. Twinflower. Dainty pink flowers in pairs. Evergreen vine. Shade. July.....	3	12	100
	\$0 75	\$2 50	\$15 00
LOBELIA cardinalis. Cardinal Flower. Bright scarlet flowers in 6-inch spikes on 2 to 3-foot stalks. Easily naturalized in the perennial border. Mulch for winter. July and August.	75	2 50	15 00
syphilitica. Large Blue Lobelia. 1 to 3 ft. Similar to the Cardinal Flower except that the flowers are blue.....	75	2 50	15 00
LYCHNIS flos-cuculi. Ragged Robin. 1 to 2 ft. Blue, Pink, or White. Open sun. Moisture. May, June.....	60	2 00	12 00
LYSIMACHIA nummularia. Moneywort. A very vigorous ground-cover. Yellow flowers. June.....	60	2 00	12 00
quadrifolia. Whorled Loosetrife. Open sun or partial shade. Yellow flowers in light racemes on 2-foot stems. Moist soil in June and July.....	60	2 00	12 00
terrestris. Swampcandle. 2 ft. Spikes of good yellow in sunny bogs and marshes. July, August.....	60	2 00	12 00
LYTHRUM salicaria. Purple Loosetrife. Spikes of purple flowers on 2 to 4-foot stems in July and August, in our bogs and along streams.....	60	2 00	12 00
MAIANTHEMUM canadense. False Lily-of-the-Valley. Spikes of white flowers on 4-inch stems, followed by red berries. A good ground-cover for dry woods. May.....	60	2 00	12 00
MEDEOLA virginica. Cucumber-root. Curious whorled leaves on 1 to 2-foot stems. Greenish yellow flowers followed by blue fruits. May.....	60	2 00	12 00

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

	3	12	100
MENTHA piperita. Peppermint. 1 to 3 ft. White. Full sun, moist soil. July–September.	\$0 60	\$2 00	\$12 00
spicata. Spearmint. 1 to 2 ft. All of us know the aromatic flavor of the leaves of this plant. For planting in moist ground. July–September.	60	2 00	12 00
MITCHELLA repens. Partridgeberry. One of the best ground-covers for a shady place with its evergreen leaves, pink and white blossoms in June, and its scarlet berries in the fall.	60	2 00	12 00
MITELLA diphylla. Bishopscap. The white flowers appear in May on 1-foot stems. For the shady rock-garden.	60	2 00	12 00
MONARDA fistulosa. Wildbergamot. Lavender blossoms on 2 to 4-foot stems in midsummer.	60	2 00	12 00
MONESSES uniflora. One-flowered Pyrola. A Pyrola with delightful, single, waxy white flowers on 4-inch stems in June. Shade.	75	2 50	15 00
MYOSOTIS scorpioides. True Forget-me-not. 6 to 18 in. Blue with yellow eye. A very attractive ground-cover for moist or wet locations. Sun or shade. May–July.	60	2 00	12 00
NEPETA cataria. Catnip. 2 ft. Naturalized from Europe . . .	60	2 00	12 00
hederacea. Ground-ivy. A ground-cover for the herb-garden in either sun or shade. Pale blue flowers.	60	2 00	12 00
ŒNOTHERA speciosa. Showy Evening Primrose. 1 ft. White, Pink. Full sun. Very attractive. May–July.	75	2 50	15 00
OXALIS acetosella. True Woodsorrel. 2 to 6 in. White or Pink. Veined deep pink. Moist shade. Excellent for a ground-cover in the woods or shady, moist rock-garden. May–July.	60	2 00	12 00
violacea. Woodsorrel. The plant grows from 4 to 9 inches tall and has dainty pink blossoms. May, June.	60	2 00	12 00
PARNASSIA caroliniana. Grass of Parnassus. White, waxy blossoms on 1-foot stems in August, in open bogs and moist places.	60	2 00	12 00
PEDICULARIS canadensis. Early Woodbetony. A curious, dry-soil plant with gray-green leaves and brown and yellow flowers in June.	60	2 00	12 00
PENTSTEMON digitalis. Foxglove Pentstemon. 1½ to 2 ft. Waxy white. July.	75	2 50	15 00
grandiflorus. Shell-leaf Pentstemon. 2 to 4 ft. Lilac, lavender-blue. Open sun. An excellent variety. May, June.	75	2 50	15 00
hirsutus. Hairy Beard-tongue. 1 to 3 ft. Purplish or violet. Partial shade. Good in the partly shaded border. May–July.	60	2 00	
PHLOX amoena. Amoena Phlox. Low-growing Phlox with pink blossoms. May, June.	60	2 00	12 00
bifida. Cleft Phlox. 3 to 6 in. A low-growing Phlox from the sandy lands of the Middle West. Pale purple. Sun or shade. May, June.	75	2 50	15 00
divaricata. Blue Phlox. Excellent for naturalizing in woods with its lavender-blue flowers on 1-foot stems in May. . . .	60	2 00	12 00
divaricata alba. Rare white variety of Divaricata.	90	3 50	
glaberrima. Smooth Phlox. A prairie Phlox that grows 1 to 3 feet high, with pink blossoms in July.	60	2 00	12 00
ovata. Mountain Phlox. 1 ft. A native of the southern mountains. It has beautiful pink flowers in June in sun or shade.	75	2 50	15 00
pilosa. Prairie Phlox. 1 ft. Pink flowers in June.	75	2 50	15 00
stolonifera. Creeping Phlox. One of the best ground-covers for the dry woods. Large violet flowers in early June	75	2 50	15 00



Shortia galacifolia. See page 21

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

	3	12	100
PODOPHYLLUM peltatum . May Apple. White flowers in May on 1-foot stems in the open woods.....	\$0 60	\$2 00	\$12 00
POLEMONIUM reptans . Greek Valerian. Blue. Shade. Good blue for the shady rock-garden or perennial border. April, May.....	75	2 50	15 00
POLYGALA paucifolia . Fringed Polygala. Dainty rose-purple flower on a 4-inch stem in May. Prefers dry shade.....	75	2 50	15 00
POLYGONATUM biflorum . Solomonseal. White bells in May along the underside of an arching 1 to 1½-foot spray of leaves, followed by blue berries all summer, in open woods.....	60	2 00	12 00
commutatum . Giant Solomonseal. Grows 3 to 4 feet tall in moist, open fields. May	75	2 50	15 00
POTENTILLA tridentata . Wineleaf Cinquefoil. A wonderful ground-cover for open rocks and gravelly soil. Small, waxy leaves that turn wine-colored in the fall. Rock- garden plant. June.....	75	2 50	15 00
PYROLA americana . Roundleaf Pyrola. Leathery, light green leaves, with fragrant, waxy white flowers on an 8-inch stem in July. Shade.....	60	2 00	12 00
elliptica . Shinleaf. Similar to <i>Pyrola americana</i> but the leaves are not evergreen. July.....	60	2 00	12 00
RANUNCULUS bulbosus . Bulbous Buttercup. Grows in compact clumps with large yellow flowers on 1-foot stems in June and July.....	60	2 00	12 00
RUDBECKIA hirta . Black-eyed-Susan. 2 ft. Orange-yellow with purple-brown centers. A biennial. July.....	60	2 00	12 00
SALVIA azurea . Azure Salvia. 2 to 5 ft. Azure-blue. Open sun. Excellent color. Good cut-flower. July–September .	75	2 50	15 00
SANGUISORBA canadensis . American Burnet. 4 ft. Tall spikes of creamy white flowers. Grows in wet meadows and along brooks. August.....	75	2 50	15 00
SAPONARIA officinalis . Bouncing-Bet. 2 ft. Escaped from cultivation. Pink and white flowers. July	60	2 00	12 00

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

	3	12	100
SAXIFRAGA pennsylvanica. Swamp Saxifrage. A rosette of waxy green leaves from which the 2-foot flower-stalk grows. Flowers greenish.	\$0 75	\$2 50	\$15 00
virginiensis. Virginia Saxifrage. 6 in. Easily grown rock-plant that likes sun or partial shade. White. April.	60	2 00	12 00
SCUTELLARIA integrifolia. Skullcap. 1 to 2 ft. Blue. Sun or shade. Snapdragon-like blossoms of good blue. July, August.	60	2 00	12 00
SENECIO aureus. Golden Ragwort. 12 to 18 in. Golden yellow. Sun or shade. Moist locations. Clusters of bright golden yellow blossoms with yellow-green foliage. May-July ..	60	2 00	12 00
SHORTIA galacifolia. Oconee-bells. 6 in. Evergreen ground-cover, with bell-shaped white flowers. Suited for shade. May.	1 00	3 50	25 00
SILENE stellata. Starry Campion. 2 ft. Fringed white flowers in July and August.	60	2 00	12 00
virginica. Firepink. 1 ft. Brilliant scarlet flowers in June. Sun or partial shade.	75	2 50	15 00
SISYRINCHIUM angustifolium. Blue-eyed-Grass. 6 to 12 in. Deep violet-blue. Open sun. Very effective in large masses. May-July.	60	2 00	12 00
SMILACINA racemosa. False Solomonseal. 2 ft. White flowers in May followed by a cluster of red berries. Sun or partial shade.	60	2 00	12 00
SOLIDAGO bicolor. Silver-rod. 2 ft. A small white Goldenrod	60	2 00	12 00
nemoralis. Dwarf Goldenrod. 6 to 18 in. A dwarf type of Goldenrod.	60	2 00	12 00
sempervirens. Seaside Goldenrod. 2 to 4 ft. Grows in the sand along our beaches and also in salt marshes.	60	2 00	12 00
STENANTHIUM robustum. Featherfleece. 3 to 5 ft. White. Sun. Moist locations. July-September.	75	2 50	15 00
STREPTOPUS roseus. Twistedstalk. 2 ft. Pink flowers in May, followed by scarlet berries in July, on stout twisted stalks. Rich soil in partial shade.	75	2 50	15 00
STYLOPHORUM diphyllum. Celandine-poppy. Yellow terminal flowers on 1 to 1½-foot stems or. May in either sun or shade.	60	2 00	12 00
THALICTRUM dioicum. Early Meadowrue. 2 ft. Misty purplish flowers in May in rich woods.	60	2 00	12 00
polygamum. Tall Meadowrue. 4 to 8 ft. Very showy white flowers in summer. Prefers moist meadows or bogs in sun or shade. July, August.	60	2 00	12 00
THERMOPSIS caroliniana. Carolina Thermopsis. 4 ft. Clear yellow. Open sun. Cloverlike foliage. Lupine-like blossoms of clear canary-yellow. Very good planted with delphiniums. June, July.	75	2 50	15 00
TIARELLA cordifolia. Foamflower. 6 to 8 in. Fluffy heads of white. Fine for massing in moist partial shade. May.	60	2 00	12 00
unifoliata. One-leaf Foamflower. 8 in. White. Shade. Moist locations. Clusters of feathery white blossoms. May	75	2 50	15 00
TRADESCANTIA bracteata. Bracted Spiderwort. 4 to 12 in. Pastel orchid. Shade. Good for the shady rock-garden. May, June.	75	2 50	
pilosa. Zig-Zag Spiderwort. 1 to 3 ft. Lilac-blue. Part shade. Good for the partly shaded border. June-September.	60	2 00	12 00
virginiana. Spiderwort. 2 ft. Deep blue blossoms all summer in the open sun.	60	2 00	12 00
virginiana nana. Dwarf form of Virginiana. Blue. Shade. Good for the shady rock-garden.	60	2 00	12 00



Tiarella cordifolia. See page 21

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

TRIENTALIS americana . Starflower. 6 in. Dainty white flowers in June in the open woods.....	3	12	100
UVULARIA grandiflora . Big Merrybells. Largest of the Merrybells, with bright yellow flowers. May.....	\$0 60	\$2 00	\$12 00
perfoliata . Wood Merrybells. Pale yellow flowers on 1-foot stems in rich woods in May.....	60	2 00	12 00
sessilifolia . Little Merrybells. Pale yellow flowers. May..	60	2 00	12 00
VACCINIUM vitis-idaea minus . Mountain Cranberry. Rare, arctic, low-growing evergreen ground-cover with small, shining leaves and rose-colored blossoms followed by dark red berries. An excellent rock-garden plant. Must have acid soil. Pot-grown.....	75 cts. each..		
VERBENA hastata . Blue Vervain. 3 to 4 ft. Blue flowers on slender spikes along our roadsides and brooks in August..	60	2 00	12 00
VERNONIA altissima . Ironweed. 4 to 6 ft. Deep purple flowers in August in moist, open spots.....	60	2 00	12 00
VERONICA officinalis . Common Speedwell. Creeping plant with bright blue flowers along our woodland paths.....	60	2 00	12 00
virginica . Culvers-root. Long spikes of white flowers on 2 to 3-foot stalks in midsummer, in either sun or shade..	75	2 50	15 00
VINCA minor . Common Periwinkle. This blue Myrtle has become naturalized and is one of the best low ground-covers. March-June.....	60	2 00	12 00
VIOLA blanda . Sweet White Violet. Flowers in earliest spring.	60	2 00	12 00
canadensis . Canada Violet. A large Violet growing 1 foot tall in rich woods. Flowers are white with the back of the petals tinged with violet-purple. May.....	60	2 00	12 00
conspersa . Dog Violet. Light lavender Violet of the open fields. May.....	60	2 00	12 00

COLLECTION G. Plants for the Woodland Pathway

12 <i>Actaea alba</i> . White Baneberry	\$2 50
12 <i>Clintonia borealis</i> . Bluebead	2 00
12 <i>Dalibarda repens</i> . Dalibarda	2 50
12 <i>Mitchella repens</i> . Partridgeberry	2 00
12 <i>Hepatica triloba</i> . Roundlobe Hepatica	2 50
12 <i>Phlox divaricata</i> . Blue Phlox	2 00
12 <i>Mertensia virginica</i> . Virginia Bluebells	2 00
12 <i>Sanguinaria canadensis</i> . Bloodroot	2 00
12 <i>Trillium grandiflorum</i> . Snow Trillium	2 00
108 Plants	Worth . . . \$19 50

This Collection for \$16.00 or half the Collection for \$8.50

ISAAC LANGLEY WILLIAMS EXETER
NEW HAMPSHIRE
EXETER WILD FLOWER GARDENS

<i>Please forward by.....</i>	<i>Amount Enclosed:</i>
State whether wanted by Mail, Express or Freight	
<i>Exp. or Frt. Office</i>	<i>Post Office Order \$.....</i>
<i>Name</i>	<i>Exp. Money Order</i>
<i>Street Address</i>	<i>Draft or Check</i>
<i>Post Office.....</i>	<i>Cash</i>
<i>County.....State</i>	<i>Stamps</i>
<i>R. R. or Exp. Line</i>	<i>Total</i>
<i>Forward on or about</i>	<i>Date</i>

[illegible]



Viola pedata lineariloba (*Lilac Birdsfoot Violet*)

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

<i>Viola cucullata</i>. Blue Marsh Violet. Large blue-violet flowers on 6-inch stems. May	3	12	100
	\$0 60	\$2 00	\$12 00
<i>fimbriatula</i>. Ovate-leaved Violet. A deep purple, low-growing Violet that covers our dry pasture hills. May ..	60	2 00	12 00
<i>hastata</i>. Halberd-leaved Yellow Violet. A creeping Violet common to our southern Appalachians. May.....	75	2 50	15 00
<i>lanceolata</i>. Lanceleaf Violet. Sweet white Violet of our damp, sandy fields. May.....	60	2 00	12 00
<i>palmata</i>. Palm Violet. A large-flowering blue Violet sometimes tinged with white. May.....	60	2 00	12 00
<i>pedata bicolor</i>. Two-color Birdsfoot Violet. The best rock-garden Violet. Upper petals dark violet, lower petals lavender. Blossoms in May and again in late August and September. Requires acid soil. Sun	90	3 00	20 00
<i>pedata lineariloba</i>. Lilac Birdsfoot Violet. Large lavender flowers with bright yellow centers. For the sunny rock-garden. Acid soil. May and again in fall. Sun.	75	2 50	15 00
<i>primulifolia</i>. Primrose-leaved White Violet. A white Violet from the southern mountains. May	75	2 50	15 00
<i>pubescens</i>. Downy Yellow Violet. Tall yellow Violet of the rich woods. Blossoms in May	60	2 00	12 00
<i>rostrata</i>. Long-spurred Violet. 4 to 8 in. Violet spotted with deeper violet. Shade. A very good variety	60	2 00	12 00
<i>rotundifolia</i>. Roundleaf Yellow Violet. Tiny yellow flowers before the leaves. Large, bright green leaves in summer ..	60	2 00	12 00
<i>striata</i>. Pale or Striped Violet. 6 to 12 in. Corolla white and yellow. Moist, shady locations. April, May.....	75	2 50	15 00
WALDSTEINIA fragarioides. Barren Strawberry. 3 in. Yellow. Glossy foliage. An excellent ground-cover. May ..	60	2 00	12 00

COLLECTION H. Native Violets

12 <i>Viola blanda</i> . Sweet White Violet	\$2 00
12 <i>Viola pedata lineariloba</i> . Lilac Birdsfoot Violet	2 50
12 <i>Viola pedata bicolor</i> . Two-color Birdsfoot Violet	3 00
12 <i>Viola rotundifolia</i> . Roundleaf Yellow Violet	2 00
48 Violets	Worth .. \$9 50

This Collection for \$8.00 or half the Collection for \$4.50



Aquilegia caerulea

ISAAC LANGLEY WILLIAMS

Exeter Wild Flower Gardens

EXETER, NEW HAMPSHIRE